

### LETTHE MACHINES DO THE WORK

Dave Hall



### JOIN US FOR CONTRIBUTION SPRINTS


First Time Sprinter Workshop - 9:00-12:00 - Room Wicklow2A

Mentored Core Sprint - 9:00-18:00 - Wicklow Hall 2B

General Sprints - 9:00 - 18:00 - Wicklow Hall 2A

#### WHO AM I?

- Developer
- Sys Admin
- Trying to Automate Myself Out of a Job
- I could go on...



#### DEAR LAWYERS

This presentation allegedly contains material which The Jim Henson Company, Disney, Sesame Workshop and others may be able to claim copyright over. These small pieces of allegedly copied materials are used in this non commercial, educational, presentation for the purpose of review and/or comic relief. This is protected by fair use and/or dealing provisions under Irish, European and/or US copyright law.

Before issuing a DMCA takedown notice or other claim of copyright infringement, please search for "The Streisand effect".



#### DEAR AUDIENCE

The material used in this presentation may or may not include software, services and/or methodologies used by my clients. Even if my clients are using such things this very second, they may not continue to do so into the future. My use and/or their use of anything shown in this presentation should not be considered an endorsement. My clients, family and dog disown any views, opinions and/or words express by me or any other participant in this presentation.

If you attempt to implement anything shown during this presentation, you're on your own. Don't try to sue me.



### DEVOPS



# Google

# HCCSV

## 



## (A) airbnb




### WHY AUTOMATE?

## COMPUTERS DON'T MAKE MISTAKES RECOPERS DO

### STEVE MCCONNELL, CODE COMPLETE

## 10-50 DEFECTS PER 1000 LINES OF CODE





### LET'S THINK



### PRE COMMIT HOOK



```
#!/bin/sh
FILES="$ (git diff --staged --name-only HEAD --diff-filter=ACMRUXB)"
echo "Running PHP lint check" >&2
LINT FAIL=0
for filename in $FILES; do
  if ! php -1 $filename; then
    LINT FAIL=1
 fi
done;
# There is no point in running PHP Code Sniffer on broken files.
if [ $LINT FAIL -gt 0 ]; then
  exit 1
echo "Running PHP Code Sniffer Checks" >&2
```

echo \$FILES | xarqs phpcs --standard=Drupal


● ● ● 2. bash


01:07 \$

### PHPCBF


### PHP BEAUTIFIER & FORMATTER

### DATABASE SANITISATION







### DEPLOYMENT NOTIFICATIONS





```
$curl = 'curl -H "x-api-key:'. $data['api key'] . ";
$curl .= '-d "deployment[application id]='.
$data['app name'] .'"';
$curl .= '-d "deployment[description] = '.
$description . '"';
$curl .= '-d "deployment[revision]='. $revision .'";
$curl .= '-d "deployment[changelog]='. $changelog . '"';
$curl .= '-d "deployment[user]='. $user .'"';
$curl .= 'https://api.newrelic.com/deployments.xml';
echo "Logging deployment in New Relic...\n";
passthru ($curl);
echo "Done!";
```

### 2 REPO DEPLOYMENTS









## ERATE

## THANKS



# MEET THE RESIDENCE OF THE SERVICE OF



## QUESTIONS?

#### **OSKWASHD** DRUPALDEVELOPER.COM.AU http://bit.ly/2cHIKwV